


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)
["thermal printer" "spectral density"](#)

[Advanced Scholar Search](#)  
[Scholar Preferences](#)  
[Scholar Help](#)
**Scholar All articles - Recent articles** Results 1 - 10 of about 16 for "thermal printer" "spectral density" . (0.08 seconds)

[All Results](#)
[A Malinverno](#)
[J Clarke](#)
[M Edwards](#)
[W Ryan](#)
[T Gamble](#)
[Remote-reference magnetotellurics: Equipment and procedures - all 2 versions »](#)

J Clarke, TD Gamble, WM Goubau, RH Koch, RF ... - *Geophysical Prospecting*, 1983 - Blackwell Synergy  
... In a typical device (enclosed in a superconducting shield to eliminate external flux noise), the **spectral density** of the SQUID noise is white, with an rms ...

[Cited by 17 - Related Articles - Web Search](#)
[Processing of SeaMARC swath sonar data - all 3 versions »](#)

A Malinverno, MH Edwards, WBF Ryan - *Oceanic Engineering, IEEE Journal of*, 1990 - [ieeexplore.ieee.org](#)  
... Grey-scale images are printed in dithered patterns on a laser printer, in 16 shades of grey on a **thermal printer**, or in 256 shades on an inkjet printer; color ...

[Cited by 17 - Related Articles - Web Search](#)
[Stencil printer - all 3 versions »](#)

M Ishitoya - *US Patent 6,354,201*, 2002 - [Google Patents](#)  
... **SPECTRAL DENSITY INPUT** ,86 ... A printer, such as a **thermal printer**, a copying machine, a stencil printer and the like are known as an image forming apparatus which ...

[Related Articles - Web Search](#)
[Dye sets for thermal imaging having improved color gamut - all 2 versions »](#)

S Evans, DJ Harrison, E McInerney, KE Spaulding, H ... - *US Patent 5,795,844*, 1998 - [Google Patents](#)  
... These signals are then transmitted to a **thermal printer**. ... The color gamut of the imaging system is controlled primarily by the **spectral density** distributions of ...

[Related Articles - Web Search](#)
[Scanning multichannel analyzer of the spatial distribution of the radiation power of a technological ... »](#)

OR Badrutdinov, RM Rakhimov, MK Salakhov - *Measurement Techniques*, 1989 - Springer  
... is printed out, by command from the computer, by a **thermal printer** TP in ... In this case the covariational function or the **spectral density** of the distributions ...

[Related Articles - Web Search](#)
[Modeling method for taking into account thermal head and ambient temperature - all 2 versions »](#)

D Verdyck - 2004 - [freepatentsonline.com](#)  
... having a given colour **spectral density**, to be reproduced on said thermographic material (10). 19. A control unit for use with a **thermal printer** for printing an ...

[Cached - Web Search](#)

### CONTEMPORARY AND PRACTICAL NEUROOTOLOGY

[OFOO RESPONSES - swin.edu.au](#)

... Figure 8 uses a traditional approach termed the power **spectral density** ... coordinates) was then printed onto the data surface using a **thermal printer** (Casio CW-50 ...

[Related Articles - View as HTML - Web Search](#)
[Method and apparatus for adapting an electrostatic copier machine to a plain paper facsimile ... - all 3 versions »](#)

P Baran - *US Patent 5,097,350*, 1992 - [Google Patents](#)  
... there are plain paper facsimile machines in the marketplace, they carry a price tag that 20 is at least four times the price of a **thermal printer** fac-simile ...

[Cited by 7 - Related Articles - Web Search](#)
[Method and apparatus for producing halftone images using green-noise masks having adjustable ... - all 3 versions »](#)

GR Arce, DL Lau - *US Patent 6,493,112*, 2002 - [Google Patents](#)  
Page 1. United States Patent Arce et al. (54) METHOD AND APPARATUS FOR PRODUCING HALFTONE IMAGES USING GREEN-NOISE MASKS HAVING ADJUSTABLE COARSENESS ...  
Cited by 4 - Related Articles - Web Search

[Development of a MHz RF leak detector technique for aircraft hardness surveillance - all 3](#)

[versions »](#)

LO Hoeft, TM Salas, JS Hofstra, WD Prather - Electromagnetic Compatibility, 1988. Symposium Record. IEEE ..., 1988 - [ieeexplore.ieee.org](#)

... illumination facilities excite the entire aircraft with a high **spectral density**

CW signal ... disk and allowed plots of the data to be dumped to a **thermal printer** ...

[Web Search](#)

Google ►

Result Page: [1](#) [2](#) [Next](#)

"thermal printer" "spectral density"

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)


[Advanced Scholar Search](#)  
[Scholar Preferences](#)  
[Scholar Help](#)
**Scholar All articles - Recent articles** Results 11 - 16 of 16 for "thermal printer" "spectral density" . (0.07 seconds)

**All Results**
[A Malinverno](#)
[J Clarke](#)
[M Edwards](#)
[W Ryan](#)
[T Gamble](#)
[Experimental Study of Bypass Transition in a Boundary Layer](#)

C Ohio, O Cleveland - ntrs.nasa.gov

... Friction velocity. Local velocity in the streamwise direction. Power **spectral density** (V2 / Hz). ... Wall shear stress. Power **spectral density**,  $\omega_o = \omega_w$ . ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)
[Method, device, system and recording medium for detecting improper cartridge, and cartridge](#)

Y Ito, K Okoyama, T Watanabe - 2004 - freepatentsonline.com

... If in a **thermal printer**, the expendable material is ink ribbon. ... material, a characteristic of the ink may be resistance, viscosity, **spectral density** or the ...

[Cached](#) - [Web Search](#)
[Advanced Digital Signal Analyzer Probes Low-Frequency Signals with Ease and Precision](#)

RH Grote, HW McKinney, HP engineers used a Model, ... - hparchive.com

... The auto spectrum is calibrated in units of mean square for sinusoidal signals, power **spectral density** for random signals, or energy density for transient ...

[View as HTML](#) - [Web Search](#)
[Method, device, system and recording medium for detecting improper cartridge, and cartridge - all 6 versions »](#)

Y Ito, K Okoyama, T Watanabe - US Patent 6,987,933, 2006 - Google Patents

Page 1. United States Patent Ito et al. (54) METHOD, DEVICE, SYSTEM AND RECORDING MEDIUM FOR DETECTING IMPROPER CARTRIDGE, AND CARTRIDGE ...

[Cited by 2](#) - [Related Articles](#) - [Web Search](#)
[Method, device, system and recording medium for detecting improper cartridge, and cartridge](#)

K Code, Y Ito, K Okoyama, T Watanabe, VP Images, P ... - freepatentsonline.com

... toner. If in an ink jet printer, the expendable material is ink. If in a **thermal printer**, the expendable material is ink ribbon. [0005] ...

[Cached](#) - [Web Search](#)
[BOOK Realtime Algorithmic Music Systems From Fractals and Chaotic Functions: Toward an Active Musical ... - all 4 versions »](#)

RH Chapel - 2003 - hinojosachapel.com

... switches, and a number of output devices (14 digital-to-analog converters used for control voltages, 36 computer controlled relays, a **thermal printer**, and 2 ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

Result Page: [Previous](#) [1](#) [2](#)


[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google